

BEXHILL STEELWORKS


# Farm Gates & Fencing


MATERIALS & SUPPLIES

[www.farmgatesfencing.co.uk](http://www.farmgatesfencing.co.uk)



NO PAYPAL ACCOUNT NEEDED  
Usual delivery 7-10 days  
PRICES EX VAT

 01424 844702 or 07971 882241

 [sales@farmgatesfencing.co.uk](mailto:sales@farmgatesfencing.co.uk)

CLICK FOR WEBSITE 



BACK



NEXT





### **Galvanised 7 Bar Metal Field Gate with D-Loop Fastening**

A superior seven rail metal field gate with D-loop fastening.

The punched hole bracing gives this popular mid range gate superior strength to last in the field or farm.

This hot dip galvanised gate is suitable for use with most livestock.

0.9m - 4.8m length gates available.

50 x 50mm rectangular hollow section hang style.

50 x 25mm rectangular hollow section latch style.

Sleeved eye holes.

Compatible with our HYDRAULIC GATE CLOSER



### **Galvanised 7 Bar Metal Field Gate with Spring Bolt Fastening**

A superior seven rail metal field gate with spring bolt fastening.

The punched hole bracing gives this popular mid range gate superior strength to last in the field or farm.

This hot dip galvanised gate is suitable for use with most livestock.

0.9m - 4.8m length gates available.

50 x 50mm rectangular hollow section hang style.

50 x 25mm rectangular hollow section latch style.

Sleeved eye holes.

Compatible with our HYDRAULIC GATE CLOSER

[CLICK FOR WEBSITE](#)



BACK



NEXT



From £269.00

### **Galvanised 7 Bar Metal Gate Pair**

Seven rail hot dip galvanised field gates with pre drilled top rail for padlockable throw over.

Fully welded with prefixed drop bolt plus sleeved eye holes and hole punched bracing.

Total gate widths 3660mm/12ft right up to 9150mm/30ft.

Compatible with our HYDRAULIC GATE CLOSER



From £88.00

### **Galvanised Half Mesh Gates Spring Bolt Fastening**

A five rail metal gate with 75mm square mesh covering the lower half - with spring bolt fastening.

The ideal gate for containing lambs and small dogs.

Channel or rectangular hollow section hang style.

Widths 1830mm/6ft right up to 4575mm/15ft.

Compatible with our HYDRAULIC GATE CLOSER

CLICK FOR  
WEBSITE



BACK



NEXT



From £88.00

### **Galvanised Half Mesh Gates D-Loop Fastening**


A five rail metal gate with 75mm square mesh covering the lower half - with D-loop fastening.

The ideal gate for containing lambs and small dogs.

Channel or rectangular hollow section hang style.

Widths 1830mm/6ft right up to 4575mm/15ft.

Compatible with our HYDRAULIC GATE CLOSER



From £104.00

### **Metal Yard Gate Sliding Bolt - Galvanised**

A premier, immensely strong six rail metal yard gate - with sliding bolt fastening.

The flat bracing and large tube make this an exceptional gate.

A very popular field gate.

50 x 50 end style.

Widths 915mm/3ft right up to 4575mm/15ft.

Compatible with our HYDRAULIC GATE CLOSER


[CLICK FOR WEBSITE](#)



BACK



NEXT



### **New Forde Gate D-Loop - Galvanised**

The New Forde Gate is a heavy duty 6 railed field gate which can also be utilised for light penning duties such as calving boxes.

50 x 50mm sleeved hanging stile.


48.3mm o/d top and bottom rails.

38mm o/d intermediates.

1143mm high.

Widths 915mm/3ft right up to 4575mm/15ft.

Compatible with our HYDRAULIC GATE CLOSER



### **5 Rail Cattle Yard Gate Sliding Bolt - Galvanised**

The 5 rail cattle yard gate is a strong gate suitable for use in open dairy cattle yards.

Supplied as standard with keyhole/pendulum sliding bolt and sleeved 50x50mm box section hanging stile.

Top and bottom rails are 48.3mm o/d whilst the intermediates are 44.5mm o/d. 1143 high.

Sizes: 610mm-4880mm / 2ft-16ft

Compatible with our HYDRAULIC GATE CLOSER


[CLICK FOR WEBSITE](#)



BACK



NEXT



From £178.00

### **Meshed Deer / Security Gate 1.8m High**

Meshed security gates - galvanized.

Fully meshed and supplied with a padlockable sliding bolt as standard. These gates are universal so may be hung left or right.

Sizes: 1200mm (4ft) / 3050mm (10ft) / 3600mm (12ft)



£499.00

### **Metal Barrier Gate 4.57m c/w posts**

Extra wide metal barrier gate - galvanized.

114.3mm dia round metal posts inverted top hinge hanging post.

114.3mm dia round slotted latch posts.

Padlockable sliding latch.

Hot dip galvanized.

Other lengths available 2.4m, 3.05m, 3.6m and 6.1m.

Compatible with our HYDRAULIC GATE CLOSER

[CLICK FOR WEBSITE](#)



BACK



NEXT



£399.00

### **Kissing Gate - Galvanised**

Kissing gates are a common site in the English countryside and are used for public access within a fence line.

The benefit of using a kissing gate over a stile is access is easier for the less mobile and ramblers with dogs.

A very strong galvanised system.

Made from 40mm galvanised steel this product could potentially last a lifetime.

Simple to install, the framework bolts the system together to prevent any post movement while the gate self closes against the frame.

[CLICK FOR WEBSITE](#)



£288.00

### **Bridle Gate In Frame - 6 Rail Galvanised**

1540mm wide x 1220mm high supplied in one unit, for added strength and ease of installation.

The standard gate has a fitted self closing mechanism, this can be ordered without if required.

An extended handle enables easy opening from horseback, and a lower handle for wheelchair users.

Galvanised finish, price includes posts.



BACK



NEXT



£410.00

### **Bridle Gate In Frame - 5 Rail Galvanised With Part Meshed Base**

1540mm wide x 1220mm high supplied in one unit, for added strength and ease of installation.

The standard gate has a fitted self closing mechanism, this can be ordered without if required.

An extended handle enables easy opening from horseback, and a lower handle for wheelchair users.

Galvanised finish, price includes posts.



£POA

### **4 Rail Fully Meshed Gate - Sliding Bolt - Galvanised - Right Handed**

Fully meshed gate fitted keyhole/pendulum sliding bolt. A box section hanging and slam stile are complimented with all the rails being 44.5mm o/d tube and clad with 75 x 75mm mesh.

Height 1143mm.

Spring bolts and adjustable eyes supplied loose.

Special slam post required.

Sizes: 610mm-4880mm / 2ft-16ft

[CLICK FOR WEBSITE](#)




BACK



NEXT





### **4 Rail Fully Meshed Gate - Sliding Bolt - Galvanised - Left Handed**

Fully meshed gate fitted keyhole/pendulum sliding bolt. A box section hanging and slam stile are complimented with all the rails being 44.5mm o/d tube and clad with 75 x 75mm mesh.

Height 1143mm.

Spring bolts and adjustable eyes supplied loose.

Special slam post required.

Sizes: 610mm-4880mm / 2ft-16ft



### **8 Rail Premier Gate - Spring Bolt**

Double braced field gate ideal for use where extra height is required. Sleeved box section hanging stile and spring bolt are standard features.

All horizontal rails are 44.5mm diameter tube.

Height 1525mm / 5ft.

Sizes: 610mm-4880mm / 2ft-16ft

[CLICK FOR WEBSITE](#)



BACK



NEXT



### **Buxton Sheeted Metal Gate - Sliding Bolt Fastening - Galvanised**

Ideal for use in exposed positions, this heavy duty (any hand) 4 railed sheeted gate.

50 x 50mm box section frame.

50 x 30mm box section infills and sleeved hanging stile. Clad to one face with pre-galvanised sheet and fitted keyhole/pendulum type sliding bolt.

Height 1270mm.

Suitable for any cattle breed.

25mm eyes - supplied loose.

Sizes: 610mm-4880mm / 2ft-16ft



### **Wheeled Cattle Hurdle - Hook & Chain Fastening - Galvanised**

Ideal for situations where a temporary/moveable barrier is required.

Height 1605mm.

Complete with hook and chain fastenings.

Sizes: 3660-4575mm / 12-15ft


[CLICK FOR WEBSITE](#)



BACK



NEXT



### **10 Rail Metal Deer Gate - Sliding Bolt Fastening - Galvanised**

Height 1860mm.

20mm eyes - supplied loose.

Sizes: 610mm-4880mm / 2ft-16ft



### **Gatemaster Hydraulic Gate Closer & Hinge Kit**

This hydraulic APS closer safely and reliably closes gates weighing up to 120kg, and requires no power.

It is discreetly mounted and welded underneath the gate, concealed within a vandal resistant steel case. It also acts as a load bearing lower hinge, and may be used for left or right handed gates.

Adjustable closing speed using the special key provided. The latching speed can be set separately.

The top bracket is fully adjustable, allowing the gate to be correctly positioned after installation.

Gate may be opened both ways if required.

The APSSTOP kit utilises a built-in stop hinge to prevent the gate opening beyond 100°.

[CLICK FOR WEBSITE](#)



BACK



NEXT



### **Universal Iroko Hardwood Gate - 5 Bar**

The double cross-bracing gives this wooden 5 bar gate it's distinctive style, commonly seen around the countryside and farm.

The tapered top rail is designed to reduce the pressure on the hanging stile.

Available in both right and left hand hanging. They can be hung as a single leaf or alternatively a combination for wider entrances.

Iroko - The premier hardwood, with the appearance and qualities of teak. Planed and sanded mid brown finish. Much lighter in weight than that of Oak and Keruing, reducing the pressure being put on the fittings and head stock. No treatment required, although a coating of teak oil annually will help maintain its natural colour.

Sizes: 0.9 - 3.6m left or right hanging.

Compatible with our GATE AUTOMATION SYSTEMS



### **Universal Softwood Gate - 5 Bar**

The double cross-bracing gives this wooden 5 bar gate it's distinctive style, commonly seen around the countryside and farm. The tapered top rail is designed to reduce the pressure on the hanging stile.

Can be hung as a single leaf or alternatively a combination for wider entrances.

A high specification gate made from kiln dried Scandinavian Redwood with a top quality semi-planed all over finish.

The hanging stile is 125mm x 75mm with a 75mm x 75mm closing stile and a 100mm x 75mm top rail.

Height to top of hanging stile is 47ins, height to top of top rail is 44ins Standard sizes range from 0.9m to 3.66m

Pressure treated with Tanalith E in a natural wood, these gates are ideal for an entrance gate, and strong enough for a field gate.

Posts & fittings also required.

Sizes: 0.9 - 4.5m left or right hanging.

Compatible with our GATE AUTOMATION SYSTEMS

[CLICK FOR WEBSITE](#)



BACK



NEXT



£255.00

### **Universal Softwood Gate Kit 3.6m - 5 Bar**

A high quality treated softwood 5 bar gate kit. This product is exceptionally good value and very popular gate for field, farm and entrance.

Gate Kit Includes:

- 1 x 3.6m wide x 1.2m tall softwood gate
- 1 x 2.4m x 175 x 175mm four way weathered post
- 1 x 2.1m x 175 x 175mm four way weathered post
- 1 x 600mm adjustable hanging kit - galvanised
- 1 x spring catch set - galvanised.

All gate posts are now UC4 timber which comes with a 15 years desired life.

Compatible with our GATE AUTOMATION SYSTEMS



£365.00

### **Yeoman Softwood Gate Kit 3.6m - 5 Bar**

Gate Kit Includes:

- 1 x 3.6m softwood Yeoman 5 bar entrance gate
- 1 x galvanised fittings
- 2 x 2.4m x 175mm x 175mm UC4 four way weathered posts
- Left or right hanging.

Compatible with our GATE AUTOMATION SYSTEMS

[CLICK FOR WEBSITE](#)



BACK



NEXT



£999.00

### **Cleft Chestnut Wood Fencing - 87 metres**

For additional barbed wire or mesh panel please call us.



£34.95

### **Wooden Gate Hinge/Hanging Set 600mm Galvanised**

A 600mm adjustable hinge set, complete with bolt and drive to hang a gate.

Suitable for gates 2.4m - 4.2m to be used with wooden posts.

Also shown is a 'spring catch set' to close the gate. (Please note the price is for the hinge set only shown in the picture on the left.)

[CLICK FOR WEBSITE](#)



BACK



NEXT



From £209.00

### **Yeoman Softwood Wooden Gate - 5 Bar**

Manufactured by Wheelwrights in years gone by, the Yeoman still remains the premier 5 bar entrance gate to enhance any property.

This gate can be hung on its own, single leaf, left or righthanded, or as a pair in any combination.

For example - a 3.0 metre for car access with a 1.2m pedestrian access.

Sizes: 0.9 - 3.6m.

Left or right hanging.

Compatible with our GATE AUTOMATION SYSTEMS



£134.95

### **Standalone Dogway**

The Dogway is made from recycled plastic and timber with Galvanised steel brackets.

Height is 1-2m and 500mm wide post to post.

The handle for the latch is easy to use from either side and the latch is light to lift.

The Standalone Dogway is designed to fit in the fenceline alongside a stile.

[CLICK FOR WEBSITE](#)



BACK



NEXT



### **Slotted Post 114.3mm O.D. Galvanised**

Galvanised steel slotted post.

14.3mm (4.5") diameter galvanised steel slotted post to suit our range of metal gates with a S-bolt fastening.



### **Hanging Post 114.3mm O.D. Galvanised**

Galvanised steel post.

114.3mm (4.5") overall diameter, galvanised steel hanging post to suit our range of metal gates.



### **Metal Gate Fixing Kit**

Includes all the fixings needed to hang and close our range of metal gates on wooden posts.

Includes:

- 1 x Hinge hook to bolt
- 1 x Hinge hook to drive
- 1 x large auto catch
- 2 x 75mm coach screw

[CLICK FOR WEBSITE](#)



BACK



NEXT





£14.95

### Simple Drop Over Frame

Galvanised steel.



£35.85

### Ground Socket 114.4mm O.D. x 0.61m

Designed to make the gate post removable, ideally suited to the dual slotted latch post, the removal enabling large machinery to pass.

Simple installation - just excavate and concrete in.

Hot dip galvanised finish.

114.4mm o.d.

610mm long.

3mm thick.

All ground sockets come with a removable lid enabling the socket to be blocked off once the post has been removed.



£14.95

### Bolt-On Drop Bolt

Galvanised steel.

[CLICK FOR WEBSITE](#)



BACK



NEXT



£9.99

### **K POST Mix - Rapid Setting Concrete 20kg**

K POST is a rapid setting concrete for securing metal, wood and concrete posts and is now available in showerproof 20kg sacks.

Suitable for use on fences, decking, gazebos etc.

Ready to use.

No mixing is required.

Application is in 3 easy steps.

Sets in 5 to 10 minutes.

Finished job within hours.

New showerproof, tough packaging benefits:- Store on-site in all weathers - No need to cover - Stronger more durable 20kg sacks - Reduces waste and damage - Non-slip bag - Cleaner and safer handling.



£29.95

### **Gravity Catch To Fix In Concrete - Galvanised**

Galvanised steel.



£38.95

### **Padlockable Heavy Duty Drop Over Frame For Gate Pairs - Galvanised**

Galvanised steel.

[CLICK FOR WEBSITE](#)



BACK



NEXT



£9.99

### Hook on Hinge Plate Galvanised

Includes all the fixings needed to hang and close our range of metal gates on wooden posts. 100x100x5mm. 19mm diameter hook.

Includes:

- 1 x Hinge hook to bolt
- 1 x Hinge hook to drive
- 1 x large auto catch
- 2 x 75mm coach screw



£41.95

### Gate Post - UC4 Treated Redwood

2.1m 175 x 175mm treated UC4 timber gate post with a pyramid top.



£14.99

### Spring Catch Set

Galvanised steel.



£14.95

### Padlockable Garage Drop Bolt

Galvanised steel.

[CLICK FOR WEBSITE](#)



BACK



NEXT

BEXHILL STEELWORKS

# Farm Gates & Fencing

MATERIALS & SUPPLIES

[www.farmgatesfencing.co.uk](http://www.farmgatesfencing.co.uk)



BEXHILL STEELWORKS

# Key clamp fittings at great prices!

[www.keyclamphandrails.co.uk](http://www.keyclamphandrails.co.uk)



BEXHILL STEELWORKS

# Top quality metal parts

FREE delivery on orders over £150.

[www.ironfinials.co.uk](http://www.ironfinials.co.uk)



t: 01424 844702 or 07971 882241  
e: [sales@farmgatesfencing.co.uk](mailto:sales@farmgatesfencing.co.uk)

Bexhill Steelwoks Limited  
Unit 3, Breadsell Farm  
St Leonards-on-Sea TN38 8EB  
Registered in England:  
Company No. 05368388, VAT No. 850735425

#### Terms & Conditions

Our Terms & Conditions are simple: you pay us & we promise to deliver exactly what you have ordered.

#### Return/Cancellation Policy

Any faulty item must be returned within 7 days of receipt and will be replaced free of charge. Any non faulty item must be returned within 7 days of receipt and monies will be refunded minus a 20% administration fee.

#### Delivery Policy

Gates are £25 per consignment for mainland UK.  
Parts only are £10 per consignment for mainland UK.

CLICK FOR  
WEBSITE



BACK